

Bibliography on drug addiction: Treatment

Bibliografia sulle Buone Prassi e sulle Esperienze nel campo dei trattamenti terapeutico-riabilitativi per soggetti dipendenti da sostanze psicotrope

“Alcohol and Other Drugs”, *Alcohol Research & Health*, 2008, 31(2), <<http://pubs.niaaa.nih.gov/publications/arh312/toc31-2.htm>>

AA.VV., “Alcol informazioni dalla ricerca, Programma Regionale sulle Dipendenze, Regione Veneto”, Verona, 2008

AA.VV., “The influence of a family program on adolescent tobacco and alcohol”, *American Journal of Public Health*, 2001,91(4):604–610

Ahmadi Nejad Mehdi, Jadidi Fatemeh, et al., , “Studying Prevalence and Pattern of Taking Narcotic and Ecstasy Drugs by Patients Admitted to Special Care Centers of Shahid Bahonar Hospital, Kerman, Iran”, *Addiction and Health*, 2012, 4:1-2,

Alireza Ghafarinezhad, Ghodratollah Rajabizadeh, Vahid Shahriari, “Relationships between Dissociative Disorders and Personality Traits in Opium Addicts on Methadone Treatment”, *Addiction and Health*, 2013, 5: 1-2, <<http://ahj.kmu.ac.ir/index.php/ahj/article/view/124>>

Angelini R., Gilardini A., “Interventi innovativi per le dipendenze patologiche”, Publiedit, Cuneo, 2008

Bacha J., Reast S., Pearlstone A., “Treatment practices and perceived challenges for European physicians treating opioid dependence”, *Heroin Addict Relat Clin Probl.*, 2010, 12(3): 9-19

Bagozzi F., Cippitelli C., (a cura di) “In estrema sostanza. Scenari, servizi e interventi sul consumo di cocaina”, Iacobelli, Roma, 2008

Bagozzi F., Cippitelli C., “Giovani e nuove droghe: 6 città a confronto. Il progetto Mosaico come modello di intervento e cura”, Franco Angeli, Milano, 2003

Barresi A., Lanzi M., “La lotta alla droga. La Via Toscana”, Edizioni Tassinari, Firenze, 2007

Bastiaans E., “ Life after Ibogaine. An exploratory study of the long-term effects of ibogaine treatment on drug addicts”, *Science Internship Report*, <http://www.ibogaine.desk.nl/ibogaine_udi_bastiaans.pdf>

Bignamini E., Nespole G., “Mate, measurements in the addictions for triage and evaluation. Valutazione delle variabili per la diagnosi e l'orientamento al trattamento nella dipendenza da sostanze”, *Mission*, FeDerSerD, 2012, 33: 4-13

Bignamini E., Rigliano P., “Cocaina. consumo, psicopatologia, trattamento”, Raffaello Cortina, Milano, 2009

Bischof G., Rumpf H.J., Meyer C., Hapke U., John U.. “Influence of psychiatric comorbidity in alcohol-dependent subjects in a representative population survey on treatment utilization and natural recovery”, *Addiction*, 2005, 100(3):405-13

Bisi R., “Tossicodipendenze. Comunità e trattamento. Strumenti di analisi”, CLUEB, 2006

Bogetto F., Munno D., “Nuove droghe e nuovi tossicomani: aspetti farmacologici, psicologici e socio-culturali”, Minerva Medica, Torino, 2000

Briggs C., Pepperell J.L., “Women, girls, and addiction. celebrating the feminine in counseling treatment and recovery”, Routledge, New York, 2009

- Cagnoni F., Nardone G., "Perversioni in rete: psicopatologie da Internet e il loro trattamento", Ponte alle Grazie, Milano, 2002
- Caliman G., Pieroni V., "Lavoro non solo. Lavoratori tossicodipendenti: modelli sperimentali d'intervento", Franco Angeli, Milano, 2001
- Canali S., et al., "Addiction tra biologia e società", in *Medicina delle Dipendenze, Ital Jour Addict*, 2011, 2,:5-69
- Cañellas F., de Lecea L., "Relaciones entre el sueño y la adicción", "Relationships between sleep and addiction" *Adicciones*, 2012 , 24 (4) :287-290
- Caretti V., La Barbera D., "Addiction. aspetti biologici e di ricerca", Raffaello Cortina, Milano, 2010
- Celeghin F., Grossi A., Raboni R., (a cura di), "Policonsumo di droghe: scenari ed interventi formativi", Franco Angeli, Milano, 2003
- Cibin M., Hinnenthal I.M., "Il trattamento residenziale breve delle dipendenze da alcol e cocaina", SEEd, Torino, 2011
- Cirakoglu O.C., Isin G., "Perception of drug addiction among Turkish university students: causes, cures, and attitudes", *Addict Behav*, 2005; 30(1): 1-8
- Clerici M., Mosti A., "Lungo il confine: tossicodipendenze e comorbidità", Franco Angeli, Milano, 2003
- Coles C.D., Hu X., Lynch M.E., Li Z., Santhanam P., "Effects of prenatal alcohol exposure on brain activation during an arithmetic task: an fMRI study", *Alcohol Clin Exp Res.*, 2009, 33, (11)
- Coletti M., (et al.), "Addiction e qualità, in "Medicina delle Dipendenze", *Italian Journal of the Addictions*", 2011, 4: 5-72
- Coletti M., Grosso L.; "La Comunità Terapeutica per persone tossicodipendenti", Edizioni Gruppo Abele, Torino, 2011
- Comer S. D., Sullivan M. A., Vosburg S. K., Manubay J., Amass L., Cooper Z. D., Saccone P., Kleber H. D., "Abuse liability of intravenous buprenorphine/naloxone and buprenorphine alone in buprenorphine-maintained intravenous heroin abusers", *Addiction*, 2010, 105:(4) 709-718.
- Darker C., Sweeney B., El Hassan H., Smyth B., Ivers J., Barry J., "Brief interventions are effective in reducing alcohol consumption in opiate-dependent methadone-maintained patients: Results from an implementation study", *Drug Alcohol Rev.* 2012,31(3):348-356, <<http://www.ncbi.nlm.nih.gov/pubmed/21919978>>
- De Rosa F., Coriale G., Porrari R., Bilotta E., Buzi M. G., Ceccanti M., et al., "Un trattamento cognitivo-comportamentale nella Dipendenza da Alcol"
- Degenhardt L. (et al.), "Mortality among regular or dependent users of heroin and other opioids: a systematic review and meta-analysis of cohort studies", *Addiction*, 2011,106, (1): 32-51
- Della Torre N., "Ser.T. e medici di medicina generale nella cura dei pazienti eroinomani", Franco Angeli, Milano, 2009
- Denis C. M., Cacciola J. S., Alterman A. I., "Addiction Severity Index (ASI) summary scores: Comparison of the Recent Status Scores of the ASI-6 and the Composite Scores of the ASI-5", *Journal of Substance Abuse Treatment*, 2013, 45(5) :444-450,
- Di Petta G. Leonardi C., "Buprenorphine high-dose, broad spectrum, long-term treatment: A new clinical approach to opiate alkaloid dependency", *Heroin Addict Relat Clin Probl*, 2005,7(3): 21-26.
- Dietis N., Guerrini R., Calo G., Salvadori S., Rowbotham D. J., Lambert D. G., "Simultaneous targeting of multiple opioid receptors: a strategy to improve side-effect profile", *BrJ Anaesth.* (2009) 103:(1) 38-49

Dipartimento Politiche antidroga - Presidenza del Consiglio dei Ministri, "Piano di Azione Nazionale (PaN) sulle Droghe", 2010

Dipartimento Politiche Antidroga "Relazione annuale al Parlamento 2013. Uso di sostanze stupefacenti e tossicodipendenze in Italia", 2013

Dipartimento Politiche Antidroga e Ministero della Salute, "Linee di indirizzo. Screening e diagnosi precoce delle principali patologie infettive correlate all'uso di sostanze stupefacenti", 2011

Dipartimento Politiche Antidroga, " Linee guida per la prevenzione delle patologie correlate all'uso di sostanze stupefacenti", 2009

Dipartimento Politiche Antidroga, "Piano dei progetti" 2010

Dipartimento Politiche Antidroga, "Relazione annuale al Parlamento sull'uso di sostanze stupefacenti e sulle tossicodipendenze in Italia", 2010

Dipartimento Politiche Antidroga, "Relazione annuale al Parlamento 2012 sull'uso di sostanze stupefacenti e sulle tossicodipendenze in Italia", 2012

Dipartimento Politiche Antidroga, "Relazione annuale al Parlamento 2011 sull'uso di sostanze stupefacenti e sulle tossicodipendenze in Italia", 2011

Dipartimento Politiche Antidroga, "Report di Attività e Risultati - Sistema Nazionale di Allerta Precoce", 2013

Dipartimento Politiche antidroga, "Strategie di auto-aiuto. Guida per interrompere l'uso di sostanze stupefacenti", Edizione italiana, 2011

Dipartimento Politiche Antidroga, Presidenza Consiglio Ministri, "Il Counseling Individuale nella Dipendenza da cocaina. Una guida per il trattamento individuale della dipendenza da cocaina attraverso il counseling cognitivo comportamentale", 2009

Dipartimento Politiche Antidroga, "REPORT GPS-ITA 2012. Indagine sul consumo di sostanze psicotrope nella popolazione italiana 18-64 anni", 2012

Doukas N., "Perceived barriers to identify transformation for people who are prescribed methadone", *Addiction Research & Theory*, 2011, (5):408-415

Duncan E., (et al), "An FMRI study of the interaction of stress and cocaine cues on cocaine craving in cocaine-dependent men", *The American Journal on Addictions*, 2007,16:174-182

Elena J., Marquez-Arrico; Adan A., "Patología dual y rasgos de personalidad: situación actual y líneas futuras de trabajo", "Dual diagnosis and personality traits: Current situation and future research directions", *Adicciones*, 2013, 25(3):195-20, <http://www.adicciones.es/ficha_art_new.php?art=802>

Elos D., Urgo M.g., "Comunità femminile per pazienti in doppia diagnosi: una "residenza protetta" per la cura di donne vittime di abusi sessuali. Riflessioni cliniche, difficoltà di trattamento ed ipotesi di intervento presso la comunità terapeutica "fermata d'autobus",

EMCDDA, "2010 Annual report on the state of the drugs problem in Europe", EMCDDA Annual report, Lisbon, 2010

EMCDDA, "2012 Annual report on the state of the drugs problem in Europe", EMCDDA Annual report, Lisbon, 2012

EMCDDA, "An overview of the treatment demand key indicator (TDI)", EMCDDA Scientific studies, Lisbon, 2009

- EMCDDA, "Cost and financing of drug treatment services in Europe", EMCDDA Selected issues, Lisbon, 2011
- EMCDDA, "Country overviews", EMCDDA online publication", 2012
- EMCDDA, "Drugnet Europe 76", EMCDDA, Lisbon, 2011
- EMCDDA, "European Drug Report 2013": Trends and developments, EMCDDA Trends and developments, Lisbon, 2013
- EMCDDA, "Guidelines for the treatment of drug dependence: a European perspective. selected issue", 2011
- EMCDDA, "Internet-based drug treatment interventions", EMCDDA Insights, Lisbon, 2009, 10
- EMCDDA, "Mapping Treatment Demand Indicator (TDI)", EMCDDA Scientific studies, Lisbon, 2012
- EMCDDA, "New heroin-assisted treatment", EMCDDA Insights, Lisbon, 2012
- EMCDDA, "Polydrug use: patterns and responses", EMCDDA Selected issues, Lisbon, 2009
- EMCDDA, "Pregnancy, childcare and the family: key issues for Europe's response to drugs", EMCDDA Selected issues, Lisbon, 2012
- EMCDDA, "Treatment and care for older drug users", EMCDDA Selected issues, Lisbon, 2010
- EMCDDA, "Treatment demand indicator (TDI) standard protocol 3.0: Guidelines for reporting data on people entering drug treatment in European countries", EMCDDA Manuals, Lisbon, 2012
- EMCDDA, "Treatment strategy", EMCDDA Work programmes and strategies, Lisbon, April 2013
- EMCDDA, "Trends in injecting drug use in Europe", EMCDDA Selected issues, Lisbon, June 2010
- EMCDDA, "New heroin-assisted treatment", Lisbon, 2012
- EMCDDA, Prisons and drugs in Europe: the problem and responses, EMCDDA Selected issues, Lisbon, 2012
- Ensiyeh Babaie, Nader Razeghi, 2013, "Comparing the Effects of Methadone Maintenance Treatment, Therapeutic Community, and Residential Rehabilitation on Quality of Life and Mental Health of Drug Addicts", *Addiction and Health*, Vol.5, n. 1-2, <<http://ahj.kmu.ac.ir/index.php/ahj/article/view/113>>
- Fantoma A., Gerra G., Poggi B., "Normalmente stupefacente. Indagine sulla percezione dell'opinione pubblica in Italia del fenomeno droga", Franco Angeli, Milano, 2005
- Fazzi L., Scaglia A., "Tossicodipendenza e politiche sociali in Italia", Franco Angeli, Milano, 2001
- Ferri M., Bo A., "El portal de promoción de buenas prácticas en Europa del OEDT. Un instrumento de diseminación vía Internet", "EMCDDA Best Practice Promotion in Europe: an Internet based dissemination tool", *Adicciones*, 2013, 25 (1): 3-6 <http://www.adicciones.es/ficha_art_new.php?art=778>
- "First-of-its-kind report finds that street forms of "synthetic marijuana" products linked to thousands of hospital emergency departments visits each year", SAMHSA PressOffice, 2012
- Foddy B., Savulescu J., "A liberal account of addiction", *Philos Psychiatry Psychol*, (2010) 17(1):1–22.
- Folgheraiter F., "La logica sociale dell'aiuto", Erickson, Trento, 2007
- Folgheraiter F., "Teoria e metodologia del servizio sociale. La prospettiva di rete", Franco Angeli, Milano, 2004
- Folgheraiter F., "Tossicodipendenti riflessivi", Erikson, Trento, 2004

Galanter Kleber M., Herbert D., "Trattamento dei disturbi da uso di sostanze", Elsevier, 2006

Gamberini L., Varotto A., Zamboni L., Spagnolli A. (Ed.), "Proceedings of night 2013: Health, pleasure and communities", NEWIP, Università degli Studi di Padova, 2013

Ghaffari Nejad Alireza, Kheradmand Ali, Toofani Khatereh, 2010, "Identity Disturbance and Substance-Dependence in Patients with Borderline Personality Disorder" *Addiction and Health*, Vol.2, n. 1-2, <<http://ahj.kmu.ac.ir/index.php/ahj/article/view/6>>

Ghaffari Nejad Alireza, Zare Anari Ali Mehdizadeh, et al., 2012, "Suicide in Narcotic Drugs Dependents", *Addiction and Health*, Vol.4, n. 1-2, <<http://ahj.kmu.ac.ir/index.php/ahj/article/view/95>>

Giannantonio M., Zanusso G., "Tossicodipendenza e comunità terapeutica : strumenti teorici e operativi per la riabilitazione e la psicoterapia", Franco Angeli, Milano, 2003

Groshkova T., Metrebian N., Strang J., "New heroin-assisted treatment. recent evidence and current practices of supervised injectable heroin treatment in Europe and beyond", EMCDDA, Lisbon, 2012

Grothues J., Bischof G., Reinhardt S., Hapke U., Meyer C., John U., et al. "Intention to change drinking behaviour in general practice patients with problematic drinking and comorbid depression or anxiety", *Alcohol Alcoholism*, 2005, 40(5): 394-400.

Harris C.R., Brown A., "Synthetic cannabinoid intoxication: a case series and review" *J Emerg Med*, 2013, 44(2):360-6, <<http://www.ncbi.nlm.nih.gov/pubmed/22989695>>

Hautefeuille M., (et al.), "Les Communautés Thérapeutiques, in "Psychotropes", Revue International des toxicomanies et des addictions", 2011, 3-4: 5-125

Hendrée E. J., "Practical Considerations for the Clinical Use of Buprenorphine" *Sci Pract Perspect*. 2004, 2(2): 4–20, <<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2851017/>>

Jacques J.P., "Pour démedicaliser la médecine des addictions", *Psychotropes: Revue International des toxicomanies et des addictions*, 2011, 1: 123-134

Jason L. A., Olson B. D., Ferrari J. R., Lo Sasso A. T., "Communal Housing Settings Enhance Substance Abuse Recovery", *American Journal of Public Health*, 2006, 96, (10): 1727-1729, <<http://ajph.aphapublications.org/doi/abs/10.2105/AJPH.2005.070839>>

Javier F., Bolivar V, Pérez Milena A., Moreno Corredor A., "Consumo de drogas entre los Especialistas Internos Residentes de Jaén (España) y su relación con el consejo clínico", "Drugs consumption among Intern Specialists in Jaén (Spain) and their relationship to clinical counseling", *Adicciones*, 2013, 25, (3): 243-25, <http://www.adicciones.es/ficha_art_new.php?art=808>

Jones A., Christiansen P., Nederkoorn C., Houben K., Field M., "Fluctuating disinhibition: Implications for the understanding and treatment of alcohol and other substance use disorders", *Front. Psychiatry*, 2013, 4:140

Joosten E.A.G., De Jong C.A.J., de Weert-van Oene G.H. et al. "Shared decision-making: increases autonomy in substance-dependent patients.", *Substance Use and Misuse*: 2011, 46(8):1037–1038

Keshavarz Y., Ghaedi S, Rahimi Kashani M., "Evaluation of the Effectiveness of Chemical Dependency Counseling Course Based on Patrick and Partners", *Addiction and Health*, 2012, 4: 1-2, <<http://ahj.kmu.ac.ir/index.php/ahj/article/view/90>>

Klimas J., Anderson R., Bourke M., Bury G., Field C., Kaner E., et al., "Psychosocial Interventions for Alcohol Use Among Problem Drug Users: Protocol for a Feasibility Study in Primary Care", *JMIR Res Protoc*, 2013, 2(2) <<http://www.ncbi.nlm.nih.gov/pubmed/23186026>>

Krebs T.S., Johansen P-Ø, "Lysergic acid diethylamide (LSD) for alcoholism: meta-analysis of randomized controlled trials", *Journal of Psychopharmacology*, 2012, 26(7):994–1002

Kuepper R., Van Os J., Lieb R., Wittchen H.U., Höfler M., Henquet C., "Continued cannabis use and risk of incidence and persistence of psychotic symptoms: 10 year follow-up cohort study", *BMJ*, 2011; 342:1-8, <<http://www.bmj.com/content/342/bmj.d738.pdf%2Bhtml>>, Legge 8 novembre 1991, n.381: "Disciplina delle cooperative sociali"

Ling W, Farabee D, Liepa D, Wu LT, "The Treatment Effectiveness Assessment (TEA): an efficient, patient-centered instrument for evaluating progress in recovery from addiction", *Substance Abuse and Rehabilitation*, 2012, 3(1):129 – 136

Lintzeris, et al., "National Clinical Guidelines and Procedures for the use of Buprenorphine in the Treatment of Heroin" Dependence. ACT: Dept. of Health & Aged Care, Commonwealth of Australia, *Sci Pract Perspect*, 2004, 2(2): 4–20

Litt M.D., Kadden R.M., Kabela-Cormier E., Petry N.M., "Coping skills training and contingency management treatments for marijuana dependence: exploring mechanisms of behavior change" *Addiction*, 2008, 103(4): 638-48

Lundgren L., Amodeo M., Chassler D., Krull I., Sullivan L., "Organizational readiness for change in community-based addiction treatment programs and adherence in implementing evidence-based practices: a national study", *Journal of Substance Abuse Treatment*, 2013, 45(5):457-465

Maremmani I., Pacini M., Pani P.P., "Fondamenti di tossicodipendenza da oppiacei. Un compendio pratico per medici", Europad, *Real Science Communications*, 2010

Marlatt G. A., Larimer M.E., Witkiewitz K., "Harm reduction. pragmatic strategies for managing high-risk behaviors", The Guildford Press, New York, 2012

Mathers B (et al.), "Mortality among people who inject drugs: a systematic review and meta-analysis", *Bulletin of the World Health Organization* , 2013, 91, (2): 102-123.

McDonough M., " Addiction, Co-morbidity and Chronic Disease Management", *J Alcoholism Drug Depend*, 2013: 1-108, <<http://www.esciencecentral.org/journals/addiction-comorbidity-and-chronic-disease-management-2329-6488.1000e108.php?aid=17652#>>

Molteni L. "L'eroina al femminile", Franco Angeli, Milano, 2011

Müller,H.,et al.,"The synthetic cannabinoid Spice as a trigger for an acute exacerbation of cannabis induced recurrent psychotic episodes", *Schizophr Res Journal*, 2010, 118(1-3):309-10
National Institute of Drug Abuse, "Drugs, Brains and Behavior : The Science of addiction", NIDA, 2007

Nehlin C., Grönbladh L., Fredriksson A., Jansson L. "Brief alcohol intervention in a psychiatric outpatient setting: a randomized controlled study" , 2012 ,7(1):23 <<http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3507638/>>

Niccols A., Milligan K., Sword W., Thabane L., Henderson J., Smit A., "Integrated programs for mothers with substance abuse issues: a systematic review of studies reporting on parenting outcomes", *Harm Reduction Journal*, 2012, 9:14

Nunes Baptista M, de Aquino Lemos V., Munhoz Carneiro A., Rogério Morais P., "Percepción del apoyo familiar en los consumidores de drogas y su relación con trastornos psiquiátricos" "Perception of family support in dependents of alcohol and others drugs: relationship with mental disorders", *Adicciones*, 2013, (3):220-22

OEDDT, "Relazione Europea Sulla Droga – Tendenze e Sviluppi", 2013

OMS, Carta di Ottawa, 1986

- Papanti D., Schifano F., Botteon G., Bertossi F, Mannix J, Vidoni D, et al., "Spiceophrenia": a systematic overview of "Spice"-related psychopathological issues and a case report". *Hum Psychopharmacol.*, 2013, 28(4):379-89, < <http://www.ncbi.nlm.nih.gov/pubmed/23881886>>
- Nooshin P., Arman M., et al., "The Correlation between Methadone Dosage and Comorbid Psychiatric Disorders in Patients on Methadone Maintenance Treatment", *Addiction and Health*, 2012, 4,(1-2), <<http://ahj.kmu.ac.ir/index.php/ahj/article/view/88>>
- Pearce S, Pickard H., "How therapeutic communities work: specific factors related to positive outcomes", *Int J Soc Psychiatry*, 2012, 58:1–10
- Peretti P., "L'after care dei pazienti gravi/gravosi: cosa fare dopo la comunità?", *Dal fare al dire*, 2011, 2: 3-14
- Perkinson R.R., "Chemical dependency counseling a practical guide", Sage, Los Angeles, 2008
- Pierre J. M., "Cannabis, synthetic cannabinoids, and psychosis risk: What the evidence says", *Current Psychiatry*, 2011, 10(9)
- Pourmovahed Z., Yassini Ardakani S.M., "Responsible of Socio-economic Factors with Addiction in Yazd: An Opinion Survey." *Addict Health*, 2013; 5(3-4): 1-5, <<http://ahj.kmu.ac.ir/index.php/ahj/article/view/134>>
- Rancilio L., Rigliano P., "Tossicomania e sofferenza psichica. Le buone prassi nella doppia diagnosi", Franco Angeli, Milano, 2003
- "Relationship between cocaine dependence treatment and personal values of openness to change and conservation" *Adicciones*, 2010, 22: 51-58.
- Rigliano P., "Doppia diagnosi : tra tossicodipendenza e psicopatologia", Raffaello Cortina, Milano, 2004
- Rohsenow D.J., Monti .PM., Rubonis AV, Gulliver S.B., Colby S.M., Binkoff J.A., et al. "Cue exposure with coping skills training and communication skills training for alcohol dependence" 6- and 12-month outcomes, *Addiction*, 2001, 96(8): 1161-74
- Rossi S., "Tossicodipendenza e maternità", Regione Toscana - Azienda USL 8 Arezzo, 2000
- Rubio G, Martínez-Gras I., Ponce G., Quinto R., Jurado R., Jiménez-Arriero Á. M., "Integración de los grupos de autoayuda para familiares en un programa público de tratamiento del alcoholismo", "Integration of self-guidance groups for relatives in a public program of alcoholism treatment", *Adicciones*, 2013 ,25(1): 37-44
- Rezaei S., Taramian S., Seyed Mousa K., "Psychopathological Dimensions in Substance Abusers with and without HIV/AIDS and Healthy Matched Group", *Addiction and Health*, Vol.5, n. 3-4, <http://ahj.kmu.ac.ir/index.php/ahj/article/view/140>
- Saviano R. "Zero zero zero" Feltrinelli, Milano, 2013
- Scafato E., Gandin C. Patussi V. ed il gruppo di lavoro IPIB, (a cura di), "L'alcol e l'assistenza sanitaria primaria Linee guida cliniche per l'identificazione e l'intervento breve", Osservatorio Nazionale Alcol, (adattamento alla versione italiana), 2010, Art. originale: Anderson P., Gual A, Colom J., "*Alcohol and Primary Health Care: Clinical Guidelines on Identification and Brief Interventions*". Department of Health of the Government of Catalonia, Barcelona,2005
- Scafato E., Gandin C., Galluzzo L., Rossi A., Ghirini S., "Epidemiologia e monitoraggio alcol-correlato in Italia. Valutazione dell'Osservatorio Nazionale Alcol-CNESPS sull'impatto del consumo di alcol ai fini dell'implementazione delle attività del Piano Nazionale Alcol e Salute. Rapporto 2012", Centro Nazionale di Epidemiologia, Sorveglianza e Promozione della Salute, Istituto Superiore di Sanità, 2012
- Schneir A.B., Cullen .J, Ly B.T., "'Spice' girls: synthetic cannabinoid intoxication", *J Emerg Med.* 2011, 40(3):296-9, < <http://www.ncbi.nlm.nih.gov/pubmed/21167669>>

- Schwartz R.P., Kelly S.M., O'Grady K.E. et al., "Randomized trial of standard methadone treatment compared to initiating methadone without counseling: 12-month findings." *Addiction*, 2012, 107(5):943-952
- Scrimali T, "Il vincolo della dipendenza. Modello cognitivista e complesso per le dipendenze patologiche e la loro terapia", Franco Angeli, Milano, 2011
- Serafini G., Pompili M., Innamorati M., Temple E. C., Amore M., Borgwardt S. et al. "The association between cannabis use, mental illness, and suicidal behavior: what is the role of hopelessness?", *Front Psychiatry*, 2013 <http://www.frontiersin.org/Addictive_Disorders_and_Behavioral_Dyscontrol/archive>
- Serpelloni G., Bonci A., Rimondo C., "Linee di indirizzo per le attività di prevenzione e l'identificazione precoce dell'uso di sostanze. Cocaina e minori", Cierre Grafica, Verona, 2009
- Serpelloni G., Bricolo F., Mozzoni M., "Manuale per operatori dei Dipartimenti delle Dipendenze"., Elementi di Neuroscienze e Dipendenze, Verona, 2008
- Serpelloni G, Randazzo L, Marino V., " Zerococa - Linee operative per la diagnosi, il trattamento e la riabilitazione delle persone dipendenti da cocaina", Dipartimento Politiche Antidroga, 2012, < <http://issuu.com/dipartimentodipendenzeverona/docs/zerococa#embed>>
- Serpelloni G., "La valutazione dell'outcome nei trattamenti della tossicodipendenza", 2003
- Serpelloni G., Alessandrini Zoccatelli F., Rimondo G., "Neuroscienze delle dipendenze: il Neuroimaging", Dipartimento Politiche Antidroga, 2012
- Serpelloni G., Bricolo F., Gomma M., "Elementi di Neuroscienze e Dipendenze", 2010
- Serpelloni G., Cruciani M., "Uso di sostanze stupefacenti e patologie infettive correlate", Dipartimento Politiche Antidroga, 2012
- Serpelloni G., Diana M., Gomma M., Rimondo C., "Cannabis e danni alla salute", Dipartimento Politiche Antidroga, 2011
- Serpelloni G., Gerra G., "Vulnerabilità all'Addiction", 2002
- Serpelloni G., Macchia T., Gerra G., " COCAINA Manuale di aggiornamento tecnico scientifico" Dipartimento Politiche Antidroga, 2006
- Serpelloni G., Mollica R., De Luca C., Condemi M. (A cura di), "Carcere e Droga: linee di indirizzo per l'incremento della fruizione dei percorsi alternativi al carcere per persone tossicodipendenti e alcol-dipendenti sottoposte a provvedimenti dell'Autorità Giudiziaria limitativi o privativi della libertà personale.", Dipartimento Politiche Antidroga, 2011
- Serpelloni G., Gomma M, Rimondo C (A cura di), "Diagnosi e intervento precoce", Dipartimento Politiche Antidroga, 2011
- Serpelloni G, Bonci A., Rimondo C., "Cocaina e minori", Dipartimento Politiche Antidroga, Presidenza del Consiglio dei Ministri, 2009
- Serrani Azcurra D., "Rasgos patológicos de personalidad y metabolitos cerebrales como predictores de no abstinencia en adictos con trastornos de personalidad", "*Personality pathological traits and brain metabolites as predictors of non-abstinence in addicts with personality disorders*", *Adicciones*, 2013, 25(3): 208-21
- Staiger P.K., (et al.), "Improving services for individuals with a dual diagnosis. qualitative study reporting on the views", *Addiction Research & Theory*, 2011, 5: 47-55
- Stevens A. "Drug policy, harm and human rights . A rationalist approach", *The International Journal of Drug Policy* , Journal of the International Harm Reduction Association, 2011, 3: 233-238
- Strang J., Groshkova T., Metrebian N., "New heroin-assisted treatment: Recent evidence and current practices of supervised injectable heroin treatment in Europe and beyond", Lisbon: European Monitoring Centre for Drugs and Drug Addiction (EMCDDA), 2012

Stratta P, Pacifico R., Patriarca S., Collazzoni A., D'Emidio G., Spaziani D., et al., "Jumping to conclusions" in soggetti con dipendenza da alcool: relazione con i processi decisionali e l'impulsività" *Italian J Addict*, 2013, 3(4), <http://www.italianjournalonaddiction.it/index.php?option=com_wrapper&view=wrapper&Itemid=212>

Tomassini AR, Struglia F, Spaziani D, Pacifico R, Stratta P, Rossi A. "Decision making, impulsivity and personality traits in alcohol dependent subjects" *Am J Addict* 2012, 21: 263-267.

Ttanja N. A., William B. L., Feder A., Iacoviello M. , Saxena S., Bailey C. R., et al. , "Resilience to Meet the Challenge of Addiction: Psychobiology and Clinical Considerations", *Alcohol Research: Current Reviews*, 2012, 34(4), <<http://pubs.niaaa.nih.gov/publications/arcr344/506-515.htm>>

UNODC, "World Drug Report 2013" United Nations publication, United Nations Office on Drugs and Crime, 2013, <http://www.unodc.org/unodc/secured/wdr/wdr2013/World_Drug_Report_2013.pdf>

UNODC, "Drug dependences treatment: Intervention for drug users in prison", United Nations Office on Drugs and Crime, <http://www.unodc.org/docs/treatment/111_PRISON.pdf>

UNODC, "Youth Initiative. Discussion Guide", United Nations Office on Drugs and Crime, 2012, <http://www.unodc.org/documents/prevention/youth_initiative_discussion_guide_E.pdf>

UNODC, "The non-medical use of prescription drugs Policy direction issues", United Nations Office on Drugs and Crime, Discussion Paper, 2011 <<http://www.unodc.org/documents/drug-prevention-and-treatment/nonmedical-use-prescription-drugs.pdf>>

UNODC, "Ensuring availability of controlled medications for the relief of pain and preventing diversion and abuse", United Nations Office on Drugs and Crime, Discussion Paper, 2011 <http://www.unodc.org/docs/treatment/Pain/Ensuring_availability_of_controlled_medications_FINAL_15_March_CND_version.pdf>

UNODC-WHO, "Joint Programme on drug dependence treatment and care", United Nations Office on Drugs and Crime, World Health Organization, 2010 <http://www.unodc.org/docs/treatment/unodc_who_programme_brochure_english.pdf>

UNODC, "Reducing the adverse health and social consequences of drug abuse: a comprehensive approach", United Nations Office on Drugs and Crime, 2009 <http://www.unodc.org/docs/treatment/Reducing_the_Adverse_Health_and_Social_Consequences_of_Abuse.pdf>

UNODC, "World Drug Report 2012" United Nations publication, United Nations Office on Drugs and Crime, 2012, <http://www.unodc.org/documents/dataandanalysis/WDR2012/WDR_2012_web_small.p>

UNODC, "Drug Abuse Treatment and Rehabilitation: a Practical Planning and Implementation Guide", United Nations Office on Drugs and Crime, 2003 <http://www.unodc.org/docs/treatment/Guide_E.pdf>

UNODC, "TREATNET Quality Standards for Drug Dependence Treatment and Care Services", United Nations Office on Drugs and Crime, 2012, <http://www.unodc.org/docs/treatment/treatnet_quality_standards.pdf>

UNODC, "International Standards on Drug Use Prevention", United Nations Office on Drugs and Crime, 2013,
< http://www.unodc.org/documents/prevention/prevention_standards.pdf>

UNODC, "Compilation of Evidence-Based Family Skills Training Programmes", United Nations Office on Drugs and Crime, 2010,
< http://www.unodc.org/docs/youthnet/Compilation/10-50018_Ebook.pdf>

UNODC, "Guide to implementing family skills training programmes for drug abuse prevention", United Nations Office on Drugs and Crime, 2009,
< <https://www.unodc.org/documents/prevention/family-guidelines-E.pdf>>

UNODC/WHO, "Opioid overdose: preventing and reducing opioid overdose mortality", United Nations Office on Drugs and Crime, World Health Organization, Discussion Paper, 2013,
<<http://www.unodc.org/docs/treatment/overdose.pdf>>

UNODC, "Cannabis: a short review", United Nations Office on Drugs and Crime, 2012
< http://www.unodc.org/documents/drug-prevention-and-treatment/cannabis_review.pdf>

UNODC, "Synthetic cannabinoids in herbal products", United Nations Office on Drugs and Crime, 2010, <
http://www.unodc.org/documents/scientific/Synthetic_Cannabinoids.pdf>

UNODC "The challenge of new psychoactive substances : a report from the Global SMART Programme", United Nations Office on Drugs and Crime, 2013,
< http://www.unodc.org/documents/scientific/NPS_2013_SMART.pdf>

UNODC, "Recommended methods for the Identification and Analysis of Synthetic Cannabinoid Receptor Agonists in Seized Materials", United Nations Office on Drugs and Crime, 2013,
<http://www.unodc.org/documents/scientific/STNAR48_Synthetic_Cannabinoids_ENG.pdf>

UNODC, " GLOBAL SMART UPDATE 2011", United Nations Office on Drugs and Crime, 2011, (6), <
http://www.unodc.org/documents/scientific/Global_SMART_update_6.pdf>

UNODC, "From coercion to cohesion: Treating drug dependence through health care, not punishment", United Nations Office on Drugs and Crime, Discussion paper based on a scientific workshop, 2010
< http://www.unodc.org/docs/treatment/Coercion_Ebook.pdf

Wesson DR, Smith DE., "Buprenorphine in the treatment of opiate dependence" ,*J Psychoactive Drugs*. 2010, 42(2):161-75, < <http://www.ncbi.nlm.nih.gov/pubmed/20648912>>

WHO, "ICF The international classification of functioning, disability and health of the WHO", 2001

Winstock A., R., Barrat M. J., "Synthetic cannabis: a comparison of patterns of use and effect profile with natural cannabis in a large global sample", *Drug Alcohol Depend.*, 2013, 131(1-2):106-11
<<http://www.ncbi.nlm.nih.gov/pubmed/23291209>>

Wisdom J.P., (et al.), "Barriers and facilitators to adolescent drug treatment: youth, family, and staff reports", *Addiction Research & Theory*, 2011, 2:179-188

WHO, World Health Organization, "Guidelines for the Psychosocially Assisted Pharmacological Treatment of Opioid Dependence", World Health Publication,
< http://www.who.int/substance_abuse/publications/Opioid_dependence_guidelines.pdf>

WHO, "Global strategy to reduce the harmful use of alcohol", World Health Publication, 2010,
< http://www.who.int/substance_abuse/alcstratenglishfinal.pdf>

Zare Anari Ali Mehdizadeh, Ghafarinezhad Alireza, Soltani Hoda, "Fetishism Due to Methamphetamine (Glass) Abuse: A Case Report", *Addiction and Health*, 2013, 5, n. 1-2,
<<http://ahj.kmu.ac.ir/index.php/ahj/article/view/129>>

Zernig G, Kummer K. K ., Prast J.M., " Dyadic social interaction as an alternative reward to cocaine" *Front. Psychiatry*, 2013, 4:100

Ziaaddini Hassan, Ebrahim Nejad Batoul, Nakhaee Nouzar, 2013, "The Effectiveness of Group Therapy on the Family Functioning of Individuals under Methadone Treatment: A Clinical Trial", *Addiction and Health*, Vol.5, n. 1-2 <<http://ahj.kmu.ac.ir/index.php/ahj/article/view/127>>

Ziaaddini Hassan, Nasirian Mansooreh, Nakhaee Nouzar, 2012, " Comparison of the Efficacy of Buprenorphine and Clonidine in Detoxification of Opioid-Dependents", *Addiction and Health*, Vol. 4, N 3-4, <http://ahj.kmu.ac.ir/index.php/ahj/article/view/10>

Zuccaro P., Gandin C., Scafato E., Russo R., "L'alcol nelle strategie di salute e nella programmazione sociale e sanitaria", Istituto Superiore di Sanità, Osservatorio su fumo, alcol e droga, 2012

Zuffa G., "Droga e riduzione del danno. Da pilastro sociosanitario a modello alternativo di politiche pubbliche", In *Questione Giustizia*, bimestrale promosso da Magistratura democratica, 2010,. 2:46-59

EMCDDA, European Monitoring Centre for Drug and Drug addiction: Best Practices

- "A Treatment Programme For Chronic Cannabis Users", This is a specially designed 6-week outpatient cognitive treatment programme for chronic cannabis users. The treatment and counselling are voluntary and between 40 and 50 chronic cannabis users receive treatment on an annual basis. (Sweden)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=1293>
- "Therapeutic Programme EXODOS", Counselling Centre of Nea Ionia, Volos (Central Greece)The primary objective of the Centre is to inform and motivate drug users in order to enroll into therapy. Moreover, it aims at harm reduction, since most of the clients are liable to high risk behaviours, (Greece)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=1339>
- "North West Lancashire Day Reintegration Service", Seeks to provide a holistic approach to drug users who wish to reduce their drug use and ultimately reach abstinence. The project provides a range of services and supports positive behavioural changes by working with drug users, their families and the community.
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=1350>
- "Alternative Therapeutic Programme for Dependent Individuals ARGO: Outpatient Treatment Community", An outpatient drug-free programme by behavioural reconstruction and changing the life attitude emphasizing the role of the group as a main therapeutic tool, (Greece)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=1101GR>
- "Beyond the Line", The Verein Dialog (Vienna) developed a special programme for cocaine users, which was tested and evaluated from 2008 to 2009 and integrated in the routine work afterwards. The

programme is based on a low-threshold approach and focuses on flexibility and short term interventions, (Austria)

<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=AT1102

- “JADD - Jobstown Assisting Drug Dependency”, The overall purpose of JADD is to support drug users and their families and to assist drug users in re-integrating back into the community, (Ireland)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=1521>

- “Effects Of High Doses In Methadone Maintenance Treatment”, This study explores the difference for hard drug users between high and low dosage in methadone maintenance treatment programmes. After 22 months, the high dosage group had more favourable outcomes than the lower dosage group.(The Netherlands)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=2766>

- “Long Term Treatment Of Drug Dependence SENOBIO, Schnifis, Vorarlberg”, The programme aims at long-term abstinence from drug use as well as stable psychosocial integration of (former) chronic drug addicts through long-term treatment in a therapeutic community. The main focus is on the development of meaningful activities and values that can be concretely experienced by the clients, and less on the satisfaction of needs or solving of inner conflicts, (Austria)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=2646

- “Project Pre-Comunità: Inquadramento Diagnostico Iniziale”, Pre-Communita matches clients to available treatment options through an initial diagnostic assessment made in a residential setting. Thus allowing a personalised rehabilitation programme for dependent users, (Italy)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=2893>

- “Four Steps: Outpatient, Partial Residential And Residential Occupational Therapy Service For Drug Addicts In Schorndorf”, (Stuttgart), Set up in 1974 initially as a therapeutic community, over the years the programme has widened to include long-term residential therapy and aftercare living groups, programme for parents and pregnant women, short and middle term therapy, day clinic and expert ambulance, and most recently treatment with youth welfare services for 15-21 year old people, (Germany)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=2914>

- “Open Therapeutic Programme ARIADNI: Treatment phase”, Established since September 2000, this programme provides its services to adult drug users in the island of Crete. The main objectives of the therapeutic community are psychological recovery, acquisition of self-knowledge, self-awareness, management of emotions, training and vocational guidance based on the needs and abilities of the members, (Greece)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=2791>

- “Therapeutic Programme ITHAKI: Family Support Centre”, The Family Support Centre of the therapeutic programme "ITHAKE" has been established since 1987 and addresses members of the drug addicts' wider family context. The programme was mainly the result of the intense need of the addicts' family members for information on drug related issues as well as for psychological support, (Greece)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=2368>

- “Outpatient Therapy For Cannabis And Party Drugs Users”, The institution offers 35 outpatient therapy places for adults and 20 for teenagers. Up until the 1990's treatment focused on predominantly cannabis abuse but mixed party drug consumption has been integrated more and more into the programme.(Germany)
<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=2915>

- “Therapy For Parents And Children At Grüner Kreis”, As one of the few stationary facilities for long-term therapy, special treatment for addicted parents and their children is also provided in a separate institution, the "Eltern-Kind-Haus"(“parent-child-house”). Ever since its foundation "Grüner Kreis" has been

working to fill a gap by giving parents suffering from addiction the opportunity to undergo therapy together with their children, (Austria)

<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=2087>

- “Networks of hosting families for drug addicts, This project allows drug addicts to live with a host family as a means of rehabilitation, (France)

<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=1994>

- “CARP: (Community Addiction Response Programme) Killinarden”, CARP provides a wide range of services to drug users, their families and the wider community with the overall purpose of integration into the community. One of the main services is the provision of prescription methadone maintenance, (Ireland)

<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=1595>

- “PLEXUS: A Daytime Programme For Drug Users Under Methadone Or Other Substitutive Pharmaceutical Treatment.”, Plexus Offers support, orientation and counselling services in order to improve quality of life and motivate for abstinence, (Italy)

<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=2041>

- “Merchants Quay Ireland: Settlement and Reintegration programme”, The programme was developed in order to assist former drug users who have been through residential treatment and are experiencing difficulty accessing mainstream education, training and employment opportunities, (Ireland)

<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=1979>

- “DASH”, Provides a full body and auricular acupuncture treatment service to bring relief to drug users that suffer from drug-related health problems, (United Kingdom)

<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=1633>

- “Service for young drug users and their families”, Since 2008 the Verein Dialog (Integrative Suchtberatung Gudrunstraße) provides a special service for young drug users and their families, which is separated from the traditional drug service and adapted to the specific needs of the target group. A comprehensive interdisciplinary clarification, care and treatment is provided to assure the survival of young people with risky drug use and to minimise possible harm by stabilising and - if possible - improving their health status and social situation,

<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=AT1301>

- “Shared Decision Making Instrument (SDMI)”, Though shared decision making models are developed in health care to increase patient involvement in treatment decisions (particularly for chronic patients), these models are rare in addiction care. The purpose of this study is to evaluate the effectiveness of using a pre-constructed instrument for shared decision making in inpatient addiction care. Using the Shared Decision Making Instrument for structuring the decision process in reaching agreement on treatment showed a significant add-on effect on top of the already positive effects of cognitive-behavioural inpatient treatment. (The Netherlands)

<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=NL092>

- “CRA plus vouchers for treating cocaine use”, The aim of this project was to adapt, develop and test a standardised treatment approach based on the combination of the Community reinforcement approach and Vouchers (CRA + Vouchers) for cocaine-dependent patients in five treatment centres, (The Netherlands)

<http://www.emcdda.europa.eu/modules/wbs/dsp_print_project_description.cfm?project_id=NL0802>